



NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT AVAILABLE

Weld Aid Wire Kleener And Lubricant

INGREDIENTS	CAS NO	%	TWA
methylene chloride	75-09-2	>90	174 mg/m3
propylene oxide	75-56-9	<1	4.8 mg/m3

GHS	DG
	 <p>UN No: 1593 Hazchem Code: ZZ DG Class: 6.1 Subsidiary Hazard: Not Applicable Packing Group: III</p>

PROPERTIES



Liquid. Does not mix with water. Sinks in water.

EMERGENCY



FIRST AID

Swallowed:	If more than 15 mins from Doctor, INDUCE VOMITING (if conscious). Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm.
Advice To Doctor:	Treat symptomatically. NO adrenalin.
Fire Fighting:	Water spray/ fog.
Spills and Disposal:	Spilled liquid has low boiling temperature and evaporates quickly. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

HEALTH HAZARD INFORMATION



Determined by Chemwatch using GHS/HSNO criteria	Gazetted by EPA New Zealand	6.1D (oral), 6.3A, 6.4A, 6.6A, 6.7B, 6.8B, 6.9B
Signal word:	Danger	
Hazard statement(s):	<p>H302 Harmful if swallowed.</p> <p>H315 Causes skin irritation.</p> <p>H319 Causes serious eye irritation.</p> <p>H340 May cause genetic defects.</p> <p>H351 Suspected of causing cancer.</p> <p>H361 Suspected of damaging fertility or the unborn child.</p> <p>H373 May cause damage to organs through prolonged or repeated exposure.</p>	

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



x — Must not be stored together

o — May be stored together with specific preventions

+ — May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

PRECAUTIONS FOR USE



Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.PVA 2.TEFLON 3.PE/EVAL/PE
Respirator:	Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep out of reach of children. Keep in a cool place. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire.

Chemwatch: 5367-31
 Print Date: 09/06/2026
 Initial Date: Not Available
 Revision Date: 10/03/2023